




Retail Q1 2016

MODEL	DESCRIPTION		DK inkl moms	Notes
EMCOMPASS HOME THEATER SIGNATURE SERIES				
IWLCR-66 	In-Wall LCR • Dual 6 1/2" Paper Cone Long Throw Woofers offer the perfect blend of stiffness and light weight. • 3/4" Soft Dome Tweeter for Improved Dispersion.	Pr. Stk	8.495,00 DKK	
IWS-88 	In-Wall Subwoofer • Dual 8" Paper Cone Woofers for the perfect combination of stiffness and responsiveness. • Designed for use with our SDA-150 Subwoofer Amplifier.	Pr. Stk	6.495,00 DKK	
EMCOMPASS HOME THEATER 8" IN-CEILING				
NFC-83A 	• 2 Way Reference Design In-ceiling • Angled 8" Kevlar Trueform™ Woofer • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/175 WPC Power handling • 89db SPL • Frequency Response 36Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 1/4" (285mm) • Mounting Depth: 5" (128mm) • Cut Out Dimensions: 9 1/4" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY	Pr. Stk	5.695,00 DKK	*



<p>NFC-82A</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • Angled 8" Aluminum Trueform™ Woofer • 1" Aluminum HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 88db SPL • Frequency Response 39Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 ¼" (285mm) • Mounting Depth: 5" (128mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	4.495,00 DKK	
<p>NFC-81A</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • Angled 8" Polypropylene Trueform™ Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/125 WPC Power handling • 88db SPL • Frequency Response 40Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 ¼" (285mm) • Mounting Depth: 5" (128mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	3.595,00 DKK	
EMCOMPASS HOME THEATER 6 ½" IN-CEILING				
<p>NFC-63A</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • Angled 6 ½" Kevlar Trueform™ Woofer • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 89db SPL • Frequency Response 45Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 9 11/16" (246mm) • Mounting Depth: 4 1/8" (105mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	5.495,00 DKK	*
<p>NFC-62A</p> 	<ul style="list-style-type: none"> • 2 Way Angled Reference Design In-ceiling • Angled 6 ½" Aluminum Trueform™ Woofer • 1" Aluminum HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/110 WPC Power handling • 88db SPL • Frequency Response 47Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 9 11/16" (246mm) • Mounting Depth: 4 1/8" (105mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	4.295,00 DKK	
<p>NFC-61A</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • Angled 6 ½" Polypropylene Trueform™ Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/90 WPC Power handling • 88db SPL • Frequency Response 48Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 9 11/16" (246mm) • Mounting Depth: 4 1/8" (105mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	*
EMCOMPASS HOME THEATER IN-WALL LCR				

<p>NFLCR-53</p> 	<ul style="list-style-type: none"> • LCR In-Wall Speaker • Dual 5" Kevlar Trueform™ Woofers • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 87db SPL • Frequency Response 51Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 15 7/8" W x 8 1/8" W (403mm W x 206mm H) • Mounting Depth: 3" (75mm) • Cut Out Dimensions: 14 1/4" W x 6 1/2" H (364mm W x 168mm H) • Pre-Construction: Use Vanguard PCBLCR-5 • LIFETIME WARRANTY 	Pr. Stk	5.695,00 DKK	*
<p>NFLCR-52</p> 	<ul style="list-style-type: none"> • LCR In-Wall Speaker • Dual 5" Aluminum Trueform™ Woofers • 1" Aluminum Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/130 WPC Power handling • 87db SPL • Frequency Response 52Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 15 7/8" W x 8 1/8" W (403mm W x 206mm H) • Mounting Depth: 3" (75mm) • Cut Out Dimensions: 14 1/4" W x 6 1/2" H (364mm W x 168mm H) • Pre-Construction: Use Vanguard PCBLCR-5 • LIFETIME WARRANTY 	Pr. Stk	4.495,00 DKK	
<p>NFLCR-51</p> 	<ul style="list-style-type: none"> • LCR In-Wall Speaker • Dual 5" Polypropylene Trueform™ Woofers • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/115 WPC Power handling • 87db SPL • Frequency Response 54Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 15 7/8" W x 8 1/8" W (403mm W x 206mm H) • Mounting Depth: 3" (75mm) • Cut Out Dimensions: 14 1/4" W x 6 1/2" H (364mm W x 168mm H) • Pre-Construction: Use Vanguard PCBLCR-5 • LIFETIME WARRANTY 	Pr. Stk	3.595,00 DKK	*




EMCOMPASS HOME THEATER 6 ½" IN-WALL

<p>NFW-63</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-Wall • 6 ½" Kevlar Trueform™ Woofer • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 88db SPL • Frequency Response 45Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 8 9/16" W x 12 5/16" H (217mm W x 313mm H) • Mounting Depth: 3 3/16" (81mm) • Cut Out Dimensions: 7" W x 10 3/4" H (178mm W x 273mm H) • Pre-Construction: Use Vanguard PCBW-6 • LIFETIME WARRANTY 	Pr. Stk	4.295,00 DKK	*
<p>NFW-62</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-Wall • 6 ½" Aluminum Trueform™ Woofer • 1" Aluminum Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/120 WPC Power handling • 88db SPL • Frequency Response 51Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 8 9/16" W x 12 5/16" H (217mm W x 313mm H) • Mounting Depth: 3 3/16" (81mm) • Cut Out Dimensions: 7" W x 10 3/4" H (178mm W x 273mm H) • Pre-Construction: Use Vanguard PCBW-6 • LIFETIME WARRANTY 	Pr. Stk	3.795,00 DKK	
<p>NFW-61</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-Wall • 6 ½" Polypropylene Trueform™ Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/100WPC Power handling • 87db SPL • Frequency Response 55Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Dimensions w/ Grill: 8 9/16" W x 12 5/16" H (217mm W x 313mm H) • Mounting Depth: 3 3/16" (81mm) • Cut Out Dimensions: 7" W x 10 3/4" H (178mm W x 273mm H) • Pre-Construction: Use Vanguard PCBW-6 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	*



8" CEILING SPEAKERS

<p>NFC-83</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • 8" Kevlar Trueform™ Woofer • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/175 WPC Power handling • 89db SPL • Frequency Response 36Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 ¼ (285mm) • Mounting Depth: 4 ¾" (112mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	4.495,00 DKK	
<p>NFC-82</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • 8" Aluminum Trueform™ Woofer • 1" Aluminum HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 88db SPL • Frequency Response 39Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 ¼ (285mm) • Mounting Depth: 4 ¾" (112mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	3.595,00 DKK	



<p style="text-align: center;">NFC-81</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • 8" Polypropylene Trueform™ Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/125 WPC Power handling • 88db SPL • Frequency Response 40Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter with Grill: 11 ¼" (285mm) • Mounting Depth: 4 ¾" (112mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCB-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	3.195,00 DKK	*
6 ½" CEILING SPEAKERS				
<p style="text-align: center;">NFC-63</p> 	<ul style="list-style-type: none"> • 6 ½" Kevlar Trueform™ Woofer • 1" Titanium HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/150 WPC Power handling • 89db SPL • Frequency Response 45Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 9 11/16" (246mm) • Mounting Depth: 4" (100mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	4.295,00 DKK	*
<p style="text-align: center;">NFC-62</p> 	<ul style="list-style-type: none"> • 2 Way Reference Design In-ceiling • 6 ½" Aluminum Trueform™ Woofer • 1" Aluminum HDAlloy™ Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/110 WPC Power handling • 88db SPL • Frequency Response 47Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 9 11/16" (246mm) • Mounting Depth: 4" (100mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	*
<p style="text-align: center;">NFC-61</p> 	<ul style="list-style-type: none"> • 6 ½" Polypropylene Trueform™ Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/90 WPC Power handling • 88db SPL • Frequency Response 48Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Neodymium Magnet Grills • Total Diameter w/ Grill: 9 11/16" (246mm) • Mounting Depth: 4" (100mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	2.395,00 DKK	*
4" CEILING SPEAKERS				
<p style="text-align: center;">NFC-42</p> 	<ul style="list-style-type: none"> • 4" Aluminum Trueform™ Woofer • 3/4" Aluminum Dome Pivoting Tweeter • Smooth Visual Flangeless System • 5/95 WPC Power handling • 86db SPL • Frequency Response 58Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 7.5" (190mm) • Mounting Depth: 3 3/8" (86mm) • Cut Out Dimensions: 6" (152mm) • LIFETIME WARRANTY 	Pr. Stk	2.395,00 DKK	*

<p style="text-align: center;">NFC-41</p> 	<ul style="list-style-type: none"> • 4" Polypropylene Trueform™ Woofer • 3/4" Soft Dome Pivoting Tweeter • Smooth Visual Flangeless System • 5/80 WPC Power handling • 86db SPL • Frequency Response 61Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 7.5" (190mm) • Mounting Depth: 3 3/8" (86mm) • Cut Out Dimensions: 6" (152mm) • LIFETIME WARRANTY 	Pr. Stk	1.895,00 DKK	*
SPECIALTY CEILING SPEAKERS				
<p style="text-align: center;">NFC-61STT</p> 	<ul style="list-style-type: none"> • Stereo Tweeter Technology • Design Eliminates Phase Cancellation • DVC 6 ½" Polypropylene Trueform™ Woofer • 1" STT Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • Smooth Visual Flangeless System • 5/90 WPC Power handling • 88db SPL • Frequency Response 48Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Total Diameter w/ Grill: 9 11/16" (246mm) • Mounting Depth: 4" (100mm) • Cut Out Dimensions: 8 ¼" (210mm) • Pre-Construction: Use Vanguard PCB-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	*
<p style="text-align: center;">NFS-61-5CM</p> 	<ul style="list-style-type: none"> • Ultra-Shallow Design 50mm in depth • 6 ½" Polypropylene Trueform™ Woofer • 13mm Soft Dome Tweeter • Smooth Visual Flangeless System • 5/50 WPC Power handling • 88db SPL • Frequency Response 72Hz - 20kHz • PRX™ Poly Resin CrossPoint Molds for increased rigidity • PRX™ Dog legs • Never Rust™ Grills firmly attached with Neodymium Magnets • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.495,00 DKK	*






OUTDOOR SPEAKERS

 <p>OD-52W / OD-52B</p>	<ul style="list-style-type: none"> • Outdoor Weatherproof Speaker • 5 ½" Aluminum Woofer High Excursion Drivers • 1" Pivoting Aluminum Tweeter • XTS™ Outdoor Treatment • 5/90 WPC Power handling • 88db SPL • Frequency Response 55Hz - 20kHz • Mounting Bracket included • Width: 7 1/4" (184mm) • Height: 9 3/4" (248mm) • Depth: 6 1/2" (165mm) w/o bracket / 7 3/4" (197mm) w/ bracket. • LIFETIME WARRANTY 	Pr. Stk	1.895,00 DKK	*
 <p>OD-62W / OD-62B</p>	<ul style="list-style-type: none"> • Outdoor Weatherproof Speaker • 6 ½" Aluminum Woofer High Excursion Drivers • 1" Pivoting Aluminum Tweeter • XTS™ Outdoor Treatment • 5/125 WPC Power handling • 89db SPL • Frequency Response 47Hz - 20kHz • Mounting Bracket included • Width: 8 1/2" (216mm) • Height: 12" (305mm) • Depth: 7 1/2" (161mm) w/o bracket / 8 3/4" (222mm) w/ bracket. • LIFETIME WARRANTY 	Pr. Stk	2.895,00 DKK	*




GRILLS

 <p>SG-6</p>	Never Rust™ Square Grill for NFC60 Series	Pr. Stk	295,00 DKK	*
 <p>SG-8</p>	Never Rust™ Square Grill for NFC80 Series	Pr. Stk	295,00 DKK	

VANGUARD BRACKETS

 <p>PCBC-8</p>	<ul style="list-style-type: none"> • Pre-Construction Bracket for 8" In Ceiling Speakers • Cut Out Dimensions: 9 ¾" (248mm) 	5 pak	895,00 DKK	
 <p>PCBC-6</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 6 1/2" In Ceiling Speakers • Cut Out Dimensions: 8 ¼" (210mm) 	5 pak	995,00 DKK	
 <p>PCBC-4</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 4" In Ceiling Speakers 	5 pak	995,00 DKK	
 <p>PCBW-6</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 6 1/2" In Wall Speakers EXCEPT WFW-601. • WILL NOT FIT VANGUARD WFW-601 	5 pak	1.195,00 DKK	
 <p>PCBLCR-5</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for In Wall Speakers • Fits TDG Audio NFLCR-5 Speakers 	5 pak	1.195,00 DKK	

VANGUARD MSE

 <p>MSE-8</p>	<p>Metal Sound Enclosures for 8" In Ceiling Speaker Baffle Dimensions: 17 3/4" (451mm) W x 18" (457mm) H Enclosure Dimensions: 17 5/16" (440mm) L x 14" (355mm) W x 5" (126mm) H</p>	Pr. Stk	1.150,00 DKK	
 <p>MSE-6</p>	<p>Metal Sound Enclosures for 6 1/2" In Ceiling Speaker Baffle Dimensions: 17 3/4" (451mm) W x 18" (457mm) H Enclosure Dimensions: 17 5/16" (440mm) L x 14" (355mm) W x 5" (126mm) H</p>	Pr. Stk	1.150,00 DKK	
 <p>MSE-W6</p>	<p>Metal Sound Enclosures for 6 1/2" In Wall Speaker including TDG NFW Series • WILL NOT FIT WFW-601</p>	Pr. Stk	1.150,00 DKK	

PLEASE NOTE: **We intend to keep the products shown with a * as an NL warehouse stock item**

- Pricing and product availability are subject to change at any time.
- TDG Audio is constantly working to provide the finest products possible. Product specifications are subject to change at any time without notice.
- TDG Audio will provide updates to all dealers and sales representatives when any changes in pricing, delivery schedule or product discontinuation. TDG Audio cannot be held responsible for any projects that have been quoted or advance sales have occurred prior to ordering and confirmation of availability.
- All product returns MUST receive prior approval and will be issued a RMA (Return Merchandise Authorization).
- TDG Audio Speakers carry a LIFETIME WARRANTY with advance replacement. Please speak with a TDG Audio product specialist for more details.
- TDG Audio Electronics carry a 10 Year Parts & Labor Warranty. All repairs will be handled by a product specialist for issue of an RMA.
- TDG Audio products are prohibited from being sold on the internet. TDG Audio will be tracking all product serial numbers and any infraction of this policy could result in the termination as an authorized partner as per the terms within the TDG Audio Partner Agreement.
- Possession of this price sheet DOES NOT constitute an Authorized dealer. Only Authorized dealers can sell TDG Audio products and be covered under warranty and support.
- The following are pending Trademarks of TDG Audio, TrueForm™, HDAlloy™, PRX™, TPro™, DigiPro™, Never Rust™ and XTS™