




Retail Q1 2016


MODEL	DESCRIPTION		DKK inkl moms	NOTES
EDC SERIES				
EDC-602 	Edgeless 2 Way Design In-ceiling 6 ½" Aluminum Woofer 1" Aluminum Pivoting Tweeter +/- 3db Tweeter Control 5/100 WPC Power handling 88db SPL LIFETIME WARRANTY	Pr. Stk	2.395,00 DKK	
EDC-601 	<ul style="list-style-type: none"> • Edgeless 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter Control • 5/80 WPC Power handling • 88db SPL • LIFETIME WARRANTY 	Pr. Stk	1.995,00 DKK	
EDC-600 	<ul style="list-style-type: none"> • Edgeless 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • 1" Soft Dome Tweeter • 5/70 WPC Power handling • 87db SPL • Frequency Response 52Hz - 20kHz • LIFETIME WARRANTY 	Pr. Stk	1.695,00 DKK	
EDW-601  Photo Coming Soon	<ul style="list-style-type: none"> • Edgeless 2 Way Design In-Wall • 6 ½" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter Control • 5/80 WPC Power handling • 89db SPL • Frequency Response 49Hz - 20kHz • LIFETIME WARRANTY 	Pr. Stk	1.895,00 DKK	
FLC SERIES				
FLC-801 	<ul style="list-style-type: none"> • Edgeless Design 2 Way Design In-ceiling • 8" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • 5/100 WPC Power handling • 88db SPL • Frequency Response 41Hz - 20kHz • Baffle Diameter: 10 1/2" (267mm) • Mounting Depth: 3 7/8" (98mm) • Cut Out Dimensions: 9 3/4" (248mm) • Pre-Construction: Use Vanguard PCB-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	2.395,00 DKK	
FLC-601 	<ul style="list-style-type: none"> • Edgeless Design 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • 5/75 WPC Power handling • 88db SPL • Frequency Response 50Hz - 20kHz • Baffle Diameter: 9 1/4" (235mm) • Mounting Depth: 3 1/2" (89mm) • Cut Out Dimensions: 8 1/4" (210mm) • Pre-Construction: Use Vanguard PCB-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.895,00 DKK	


<p>FLC-600</p> 	<ul style="list-style-type: none"> • Edgeless 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • ½" PEI Tweeter • 5/70 WPC Power handling • 87db SPL • Frequency Response 52Hz - 20kHz • Baffle Diameter: 9 1/4" (235mm) • Mounting Depth: 3 1/2" (89mm) • Cut Out Dimensions: 8 1/4" (210mm) • Pre-Construction: Use Vanguard PCB-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.395,00 DKK	
---------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--

CSC SERIES

<p>CSC-800</p> 	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 8" Polypropylene Woofer • ½" PEI Tweeter • 5/80 WPC Power handling • 87db SPL • Frequency Response 41Hz - 20kHz • Baffle Diameter: 10 11/16" (271mm) • Mounting Depth: 3 ¼" (82mm) • Cut Out Dimensions: 9 ¾" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	1.595,00 DKK	
---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--


<p>CSC-601</p> 	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • 5/75 WPC Power handling • 87db SPL • Frequency Response 50Hz - 20kHz • Baffle Diameter: 9 7/16" (239mm) • Mounting Depth: 2 ¾" (70mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.295,00 DKK	
---------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--

<p>CSC-601STT</p> 	<ul style="list-style-type: none"> • Stereo Tweeter Technology • Design Eliminates Phase Cancellation • DVC 6 ½" Polypropylene Woofer • STT 1" Soft Dome Pivoting Tweeter • 5/80 WPC Power handling • 88db SPL • Frequency Response 49Hz - 20kHz • Baffle Diameter: 9 7/16" (239mm) • Mounting Depth: 2 ¾" (70mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCB-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.495,00 DKK	
-------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--

<p>CSC-600</p> 	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 6 ½" Polypropylene Woofer • ½" PEI Tweeter • 5/70 WPC Power handling • 87db SPL • Frequency Response 52Hz - 20kHz • Baffle Diameter: 9 7/16" (239mm) • Mounting Depth: 2 ¾" (70mm) • Cut Out Dimensions: 8 ¾" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	795,00 DKK	
-----------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	------------	--

WFC SERIES


 <p>WFC-803</p>	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 8" Kevlar Woofer • 1" Titanium Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/150 WPC Power handling • 89db SPL • Frequency Response 37Hz - 20kHz • Baffle Diameter: 10 3/4" (273mm) • Mounting Depth: 4 3/4" (121mm) • Cut Out Dimensions: 9 3/4" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	
 <p>WFC-603</p>	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 6 1/2" Kevlar Woofer • 1" Titanium Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/125 WPC Power handling • 89db SPL • Frequency Response 46Hz - 20kHz • Baffle Diameter: 9 1/8" (232mm) • Mounting Depth: 3 7/8" (98mm) • Cut Out Dimensions: 8 3/4" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	2.895,00 DKK	
 <p>WFC-603A</p>	<ul style="list-style-type: none"> • Angled In-ceiling Speaker 2 Way Design • 6 1/2" Kevlar Woofer • 1" Titanium Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/125 WPC Power handling • 89db SPL • Frequency Response 46Hz - 20kHz • Baffle Diameter: 9 3/8" (238mm) • Mounting Depth: 4 11/16" (119mm) • Cut Out Dimensions: 8 3/4" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	3.295,00 DKK	
 <p>WFC-802</p>	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 8" Aluminum Woofer • 1" Aluminum Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/125 WPC Power handling • 89db SPL • Frequency Response 39Hz - 20kHz • Baffle Diameter: 10 3/4" (273mm) • Mounting Depth: 4 3/4" (121mm) • Cut Out Dimensions: 9 3/4" (248mm) • Pre-Construction: Use Vanguard PCBC-8 or MSE-8 • LIFETIME WARRANTY 	Pr. Stk	2.595,00 DKK	
 <p>WFC-602</p>	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 6 1/2" Aluminum Woofer • 1" Aluminum Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/100 WPC Power handling • 88db SPL • Frequency Response 48Hz - 20kHz • Baffle Diameter: 9 1/8" (232mm) • Mounting Depth: 3 7/8" (98mm) • Cut Out Dimensions: 8 3/4" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	2.195,00 DKK	
 <p>WFC-601</p>	<ul style="list-style-type: none"> • 2 Way Design In-ceiling • 6 1/2" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/80 WPC Power handling • 88db SPL • Frequency Response 49Hz - 20kHz • Baffle Diameter: 9 1/8" (232mm) • Mounting Depth: 3 7/8" (98mm) • Cut Out Dimensions: 8 3/4" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	1.395,00 DKK	
 <p>WFC-601STT</p>	<ul style="list-style-type: none"> • Stereo Tweeter Technology • Design Eliminates Phase Cancellation • DVC 6 1/2" Polypropylene Woofer • STT 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/80 WPC Power handling • 88db SPL • Frequency Response 49Hz - 20kHz • Baffle Diameter: 9 1/8" (232mm) • Mounting Depth: 3 7/8" (98mm) • Cut Out Dimensions: 8 3/4" (210mm) • Pre-Construction: Use Vanguard PCBC-6 or MSE-6 • LIFETIME WARRANTY 	Pr. Stk	2.195,00 DKK	

<p>WFW-601</p> 	<ul style="list-style-type: none"> • 2 Way Design In-wall • 6 ½" Polypropylene Woofer • 1" Soft Dome Pivoting Tweeter • +/- 3db Tweeter & Bass Settings • 5/80 WPC Power handling • 89db SPL • Frequency Response 49Hz - 20kHz • Baffle Dimensions: 9 1/8" (231mm) W x (323mm) H • Mounting Depth: 3 1/8" (79mm) • Cut Out Dim.: 7 7/8" (200mm) W x 11 1/2" (292mm) H • LIFETIME WARRANTY 	Pr. Stk	2.195,00 DKK	
---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--


OUTDOOR SPEAKERS

<p>ORS-602G (Granite) ORS-602S (Sandstone)</p> 	<ul style="list-style-type: none"> • Outdoor Landscape Rock Speaker • 5/100 WPC Power handling • 89db SPL • Frequency Response 78Hz - 20kHz • Durable All Weather Construction • Security Ring on Bottom • Granite and Sandstone Colors • 6.5" Aluminum Woofer • 1" Titanium Tweeter • Width: 14" (356mm) • Height: 11 1/4" (286mm) • Depth: 11 1/4" (286mm) • LIFETIME WARRANTY 	Pr. Stk	2.895,00 DKK	
<p>ORS-802STT-G (Granite) ORS-802STT-S (Sandstone)</p> 	<ul style="list-style-type: none"> • Stereo in One Outdoor Landscape Rock Speaker • 5/140 WPC Power handling • 89db SPL • Frequency Response 39Hz - 20kHz • Durable All Weather Construction • Security Ring on Bottom • Granite and Sandstone Colors • 8" Aluminum Woofer • 1" STT Technology Titanium Tweeter • LIFETIME WARRANTY 	Pr. Stk	4.895,00 DKK	
<p>OLS-4</p> 	<ul style="list-style-type: none"> • Outdoor Light Style Landscape Speaker • 5/50 WPC Power handling • 86db SPL • Frequency Response 120Hz - 20kHz • Durable Weatherproof Design • Includes Surface Mount Plate and 10" (254mm) Ground Stake • 4" Polypropylene Woofer • 1" Titanium Tweeter • Width: 5 1/2" (140mm) • Height: 5 1/2" (140mm) • Depth: 10 3/4" (273mm) • LIFETIME WARRANTY 	Pr. Stk	2.195,00 DKK	
<p>OLS-SUB</p> 	<ul style="list-style-type: none"> • Outdoor Landscape Subwoofer • Durable Weatherproof Design • 10" High Power Polypropylene Woofer • Partial Bury or Surface Mount Design • Width at Top: 15 3/4" (400mm) • Height: 17" (432mm) • LIFETIME WARRANTY 	Pr. Stk	5.695,00 DKK	






SUBWOOFER

 <p>SUB-10</p>	<ul style="list-style-type: none"> • Front mounted volume control. • Front mounted ports. • Stable cool running 200 watt amplifier. • Auto on via audio sensing. • Auto standby. • 50 Hz to 150 Hz crossover adjustment. • 0 to 180 phase control. • Line level and LFE inputs and outputs. • Speaker level inputs and outputs. • Switching power supply 110V/230V. • 3 Year Warranty 	Pr. Stk	5.695,00 DKK	
--------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--




INFRARED

 <p>IR Kit</p>	<ul style="list-style-type: none"> • Resistant to all forms of possible interference • Includes IR Receiver, Connecting Block, 3 single Emitters, 1 Dual Emitter and Power Supply with interchangeable sockets for international use • 5 YEAR PARTS & LABOR WARRANTY 	Pr. Stk	2.195,00 DKK	
--------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--------------	--

VOLUME CONTROLS

 <p>RVC-100</p>	Rotary Auto-former volume control, impedance matching, multiple faceplate colors (white, beige, and almond) and 100 Watt power handling. LIFETIME WARRANTY	Pr. Stk	595,00 DKK	
 <p>RVC-45</p>	Rotary Auto-former volume control, impedance matching, multiple faceplate colors (white, beige, and almond) and 45 Watt power handling. LIFETIME WARRANTY	Pr. Stk	395,00 DKK	
 <p>RVC-45</p>	Rotary Auto-former volume control, impedance matching, multiple faceplate colors (white, beige, and almond) and 45 Watt power handling. LIFETIME WARRANTY	Pr. Stk	395,00 DKK	
 <p>SVC-100</p>	Slider Auto-former volume control, impedance matching, multiple faceplate colors (white, beige, and almond) and 100 Watt power handling. LIFETIME WARRANTY	Pr. Stk	595,00 DKK	
 <p>OVC-70</p>	OUTDOOR - Rotary Auto-former volume control, impedance matching, and 70 Watt power handling. LIFETIME WARRANTY	Pr. Stk	950,00 DKK	




SPEAKER SELECTORS

 <p>SSVC-6</p>	6 Pair Speaker selector with independent Auto former Volume Controls, High power handling and impedance matching speaker selector for 6 pair of speakers. LIFETIME WARRANTY	Pr. Stk	4.295,00 DKK	
 <p>SS6</p>	6 Pair High power handling and impedance matching speaker selector with amplifier protection. LIFETIME WARRANTY	Pr. Stk	1.895,00 DKK	
 <p>SS4</p>	4 Pair High power handling and impedance matching speaker selector with amplifier protection. LIFETIME WARRANTY	Pr. Stk	1.395,00 DKK	

PRE CONSTRUCTION BRACKETS

 <p>PCBC-8</p>	<ul style="list-style-type: none"> • Pre-Construction Bracket for 8" In Ceiling Speakers • Cut Out Dimensions: 9 ¼" (248mm) 	5 pak	TBA	
 <p>PCBC-6</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 6 1/2" In Ceiling Speakers • Cut Out Dimensions: 8 ¼" (210mm) 	5 pak	1.095,00 DKK	
 <p>PCBC-4</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 4" In Ceiling Speakers 	5 pak	1.095,00 DKK	
 <p>PCBW-6</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for 6 1/2" In Wall Speakers EXCEPT WFW-601. • WILL NOT FIT VANGUARD WFW-601 	5 pak	1.195,00 DKK	
 <p>PCBLCR-5</p>	<p>NEW DESIGN</p> <ul style="list-style-type: none"> • Pre-Construction Bracket for In Wall Speakers • Fits TDG Audio NFLCR-5 Speakers 	5 pak	1.195,00 DKK	

METAL SOUND ENCLOSURES

<p>MSE-8</p> 	<p>Metal Sound Enclosures for 8" In Ceiling Speaker Baffle Dimensions: 17 3/4" (451mm) W x 18" (457mm) H Enclosure Dimensions: 17 5/16" (440mm) L x 14" (355mm) W x 5" (126mm) H</p>	<p>Pr. Stk</p>	<p>1.195,00 DKK</p>	
<p>MSE-6</p> 	<p>Metal Sound Enclosures for 6 1/2" In Ceiling Speaker Baffle Dimensions: 17 3/4" (451mm) W x 18" (457mm) H Enclosure Dimensions: 17 5/16" (440mm) L x 14" (355mm) W x 5" (126mm) H</p>	<p>Pr. Stk</p>	<p>1.195,00 DKK</p>	
<p>MSE-W6</p> 	<p>Metal Sound Enclosures for 6 1/2" In Wall Speaker including TDG NFW Series • WILL NOT FIT WFW-601</p>	<p>Pr. Stk</p>	<p>1.195,00 DKK</p>	

PLEASE NOTE:

- Pricing and product availability are subject to change at any time.
- TDG Audio is constantly working to provide the finest products possible. Product specifications are subject to change at any time without notice.
- TDG Audio will provide updates to all dealers and sales representatives when any changes in pricing, delivery schedule or product discontinuation. TDG Audio cannot be held responsible for any projects that have been quoted or advance sales have occurred prior to ordering and confirmation of availability.
- All product returns MUST receive prior approval and will be issued a RMA (Return Merchandise Authorization).
- TDG Audio Speakers carry a LIFETIME WARRANTY with advance replacement. Please speak with a TDG Audio product specialist for more details.
- TDG Audio Electronics carry a 10 Year Parts & Labor Warranty. All repairs will be handled by a product specialist for issue of an RMA.
- TDG Audio products are prohibited from being sold on the internet. TDG Audio will be tracking all product serial numbers and any infraction of this policy could result in the termination as an authorized partner as per the terms within the TDG Audio Partner Agreement.
- Possession of this price sheet DOES NOT constitute an Authorized dealer. Only Authorized dealers can sell TDG Audio products and be covered under warranty and support.
- The following are pending Trademarks of TDG Audio, TrueForm™, HDAlloy™, PRX™, TPro™, DigiPro™, and XTS™